in accordance with Commission Regulation (EU) No. 1907/2006



Page: 1

Compilation date: 21.02.2011

**Revision date: 29.12.2016** 

Revision No: 4.1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: KLEEN FRESH PREMIUM NO.1 VISKOS

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Sanitary cleaning and descaling agent for professional users

## \*1.3. Details of the supplier of the safety data sheet

Company name: KLEEN PURGATIS GmbH

Dieselstraße 10

D - 32120 Hiddenhausen

Deutschland

**Tel:** +49 (0)5223 - 9970-40

**Fax:** +49 (0)5223 - 9970-195

Email: info@kleen-purgatis.de

## 1.4. Emergency telephone number

Emergency tel: +49 (0)551 - 19240 (GIZ-Nord)

## **Section 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Eye Irrit. 2: H319

Most important adverse effects: Causes skin irritation. Causes serious eye irritation.

### 2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

PREMIUM NO.1 VISKOS

Page: 2

#### 2.3. Other hazards

**PBT:** This substance is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### **Hazardous ingredients:**

SULPHAMIC ACID - REACH registered number(s): 01-2119488633-28-0000

EINECS	CAS	CLP Classification	Percent
226-218-8	5329-14-6	Eye Irrit. 2: H319; Skin Irrit. 2: H315;	10-<15%
		Aquatic Chronic 3: H412	

#### ETHANOL - REACH registered number(s): 01-2119457610-43-0000

200-578-6	64-17-5	Flam. Liq. 2: H225	1-5%	

# FATTY ALCOHOL ETHOXYLATE - REACH registered number(s): 01-2119487984-16-0000

-	68439-50-9	Acute Tox. 4: H302; Eye Dam. 1: H318;	1-2%
		Aquatic Chronic 3: H412	

#### Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.Inhalation: Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be pain and redness. The vision may become blurred.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain

may occur.

Inhalation: Not applicable.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Not applicable.

PREMIUM NO.1 VISKOS

Page: 3

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding

agents). Ventilate affected area. Refer to section 13 of SDS for suitable method of disposal.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Always close containers tightly after the removal of product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

# 7.3. Specific end use(s)

Specific end use(s): GISCODE: GS25

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

# Hazardous ingredients:

### **ETHANOL**

## Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-

# 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

Skin protection: Not applicable.

PREMIUM NO.1 VISKOS

Page: 4

Environmental: No special requirement.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Red

Odour: scented

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible

Viscosity: Viscous

Boiling point/range°C: No data available. Melting point/range°C: Not applicable.

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: Not applicable. Vapour pressure: No data available.

Relative density: 1,07 g/cm<sup>3</sup> pH: 1

**VOC g/I:** <3%

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong bases.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. In combustion emits toxic fumes of sulphur oxides.

# **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

PREMIUM NO.1 VISKOS

Page: 5

## **Hazardous ingredients:**

#### **SULPHAMIC ACID**

IPR	RAT	LDLO	100	mg/kg
ORL	MUS	LD50	1312	mg/kg
ORL	RAT	LD50	3160	mg/kg

#### **ETHANOL**

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

## **FATTY ALCOHOL ETHOXYLATE**

ORL	RAT	LD50	>300 - <2000	ma/ka
OIL	1011	LDOU	2000 \Z000	mg/kg

Toxicity values: No data available.

# Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be pain and redness. The vision may become blurred.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain

may occur.

Inhalation: Not applicable.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

# Section 12: Ecological information

## 12.1. Toxicity

# Hazardous ingredients:

## **SULPHAMIC ACID**

Pimephales promelas	96H LC50	70.3	mg/l
Pseudomonas putida	16H EC10	>1000	mg/l

#### **FATTY ALCOHOL ETHOXYLATE**

FISCH	LC50	>1-<=10	mg/l
-------	------	---------	------

# 12.2. Persistence and degradability

**Persistence and degradability:** The surfactant(s) contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

PREMIUM NO.1 VISKOS

Page: 6

12.4. Mobility in soil

Mobility: no data available.

12.5. Results of PBT and vPvB assessment

**PBT identification:** This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: The product has not been tested. Data apply to the components with the highest toxicological

risk.

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Dispose of waste according to applicable local, state and federal regulations.

Waste code number: 20 01 29

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

# **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

# Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

#### **Section 16: Other information**

# Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No.

1907/2006.

\* indicates text in the SDS which has changed since the last revision.

Data references: Safety data sheets from our raw material suppliers

Department issuing MSDS: Product Development Department;

Contact: Ms. Tiemann, Ms. Klumpe

Classification for mixtures and used evaluation method according to Article 9 of regulation

(EC) 1272/2008 [CLP]:

Calculation method

Phrases used in s.2 and 3: H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H315: Causes skin irritation.

## PREMIUM NO.1 VISKOS

Page: 7

H318: Causes serious eye damage.H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.